

**APPROVED SOURCES
REINFORCING STEEL SUPPORTS**




Figure 1. American Plastic Molding Corporation, Scottsburg, IN
X-Chair
Sizes 2.5, 4.25, 6.25, 7 in. (65, 110, 160, 175 mm)




Figure 2. Aztec Concrete Accessories, Bloomington, CA
EZ-Chair Sizes 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6 in.
(25, 38, 50, 65, 75, 90, 100, 115, 125, 140, 150 mm)




Figure 3. Dayton Superior, Miamisburg, OH
R-22
Size 2 in. (50 mm)




Figure 4. General Technologies, Stafford, TX
GTI Bar Supports
Sizes up to and including 5.5 in. (140 mm)




Figure 5. International Plastics, Lexington, KY
Pack Chair




Figure 6. Paragon Products, Mount Pleasant, IA
Rebar Chair
Sizes up to and including 5.5 in. (140 mm)




Figure 7. Paragon Products, Mount Pleasant, IA
Large Rebar Chairs
4, 5, 6, and 7 in.
(100, 125, 150 and 175 mm)



Figure 8. Plastic Construction Accessories, Emporia, KS
PCA High Chair
Sizes up to and including 5 in. (125 mm)




Figure 9. Richmond Screw Anchor, Fort Worth, TX
Size 4 in. (100 mm)




Figure 10. Aztec Concrete Accessories, Bloomington, CA
EZ-Loc Slab Bolster
Sizes 1, 1.5, 2, 2.5, and 3 in.
(25, 38, 50, 65, and 70 mm)




Figure 11. General Technologies, Stafford, TX
GTI Slab Bolsters
Size 1 in. (25 mm)




Figure 12. International Plastics, Lexington, KY
IPC-Slab
Size 1 in. (25 mm)




Figure 13. Richmond Screw Anchor, Fort Worth, TX
Size 1 in. (25 mm)